


# Corrugated sheets

## A100-P500-G4



S mm	Weight Kg/m <sup>2</sup>	J cm <sup>4</sup> /m	Wp cm <sup>3</sup> /m	Wn cm <sup>3</sup> /m	l = m	P																
						2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00	5,25	5,50	5,75	6,00
0.6	9,42	133,80	23,88	28,62	p = da N/m <sup>2</sup>	990	780	630	520	435	370	315	275	240	210	185	165	150	130	110	95	80
0.7	11,00	163,02	29,37	34,97		1220	960	755	640	535	455	390	335	295	260	230	205	185	160	135	115	100
0.8	12,56	192,62	35,23	41,70		1465	1155	930	770	645	545	470	405	355	315	275	245	220	185	160	140	120
1.0	15,70	255,04	48,07	54,79		2000	1575	1275	1050	880	745	640	555	485	430	380	340	290	250	215	185	160
1.2	18,84	320,01	61,31	66,20		2550	2015	1625	1340	1125	955	820	710	620	550	485	435	370	305	275	235	205
0.6	9,42	133,80	23,88	28,62	p = da N/m <sup>2</sup>	944	746	604	500	420	358	308	269	236	209	187	167	151	137	125	114	105
0.7	11,00	163,02	29,37	34,97		1154	912	739	610	513	437	377	328	289	256	228	205	185	167	153	140	128
0.8	12,56	192,62	35,23	41,70		1376	1087	881	728	612	521	449	391	334	305	272	244	220	200	182	166	153
1.0	15,70	255,04	48,07	54,79		1808	1429	1157	956	804	685	590	514	452	400	357	321	289	262	239	219	201
1.2	18,84	320,01	61,31	66,20		2185	1726	1398	1155	971	827	713	621	546	484	432	387	350	317	289	264	243
0.6	9,42	133,80	23,88	28,62	p = da N/m <sup>2</sup>	790	320	500	410	345	290	240	195	155	130	105	90	75	65	55	45	40
0.7	11,00	163,02	29,37	34,97		975	765	620	510	425	360	295	235	190	160	130	110	90	75	65	55	45
0.8	12,56	192,62	35,23	41,70		1170	920	745	610	510	435	345	280	230	185	155	130	110	90	80	65	55
1.0	15,70	255,04	48,07	54,79		1595	1260	1015	835	700	580	460	370	305	250	205	175	145	125	105	90	75
1.2	18,84	320,01	61,31	66,20		2040	1605	1295	1070	895	730	580	470	380	315	260	220	185	155	135	115	100

